

# Childrens Tylenol (Acetaminophen) Dosage

Tylenol is an every 4-hour medication

Weight	Infants Concentrated Drops (80mg/0.8ml) <i>discontinued</i>	Childrens Suspension Liquid (160mg/5ml)	Childrens Soft Chew Tablets 80 mg each	Junior Strength chewable tablets 160 mg each
6-11 lbs	1/2 = 0.4 ml	1.25 ml		
12-17 lbs	1 = 0.8 ml	1/2 tsp = 2.5 ml		
18-23 lbs	1-1/2 = 1.2 ml	3/4 tsp = 3.75 ml		
24-35 lbs	2 = 1.6 ml	1 tsp = 5.0 ml		
36-47 lbs		1-1/2 tsp = 7.5 ml		
48-59 lbs		2 tsp = 10.0 ml		2 tabs
60-71 lbs		2-1/2 tsp = 12.5 ml		2-1/2 tabs
72-95 lbs		3 tsp = 15 ml		3 tabs
96 lbs +				4 tabs

# Childrens Motrin (Ibuprofen) Dosage

Motrin is an every 6-hour medication

**Do NOT Use for children under 6 months old**

Weight	Infants Motrin Concentrated Drops 50mg/1.25ml	Childrens Motrin 100mg/1 tsp	Childrens Motrin Chewable Tabs 50 mg	Junior Strength chewable tabs 100 mg
12-17 lbs	2nd line = 1.25 ml	1/2 tsp = 2.5 ml		
18-23 lbs	3rd line = 1.875 ml	3/4 tsp = 3.75 ml		
24-35 lbs		1 tsp = 5.0 ml	2 tabs	
36-47 lbs		1-1/2 tsp = 7.5 ml	3 tabs	
48-59 lbs		2 tsp = 10.0 ml	4 tabs	2 tabs
60-71 lbs		2-1/2 tsp = 12.5 ml	5 tabs	2-1/2 tabs
72-95 lbs		3 tsp = 15 ml	6 tabs	3 tabs

*Note: If desired, Tylenol and Motrin can be alternated every 3 hours. This is only recommended if you are confident that the medications are being alternated, as it is not safe to give Tylenol every 3 hours or Motrin every 3 hours.*